
•	Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
9	51	2	"6747886".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/18 08:08
	52	280	(cam or content addressable memory) and ((tristate or tri state) adj2 buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/18 08:25
	53	. 7	(cam or content addressable memory) and ((tristate or tri state) adj2 buffer) with select signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/18 08:13
	54	7	(cam or content addressable memory) with ((tristate or tri state) adj2 buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/18 08:26
,	55	6	S4 not S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/18 08:38
	56	18	(cam or content addressable memory) with serial data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/18 08:38

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3656	(711/108 or 710/64 or 710/65 or 710/71 or 370/366 or 365/49).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 12:41
L2	7	(cam or content addressable memory) with ((tristate or tri state) adj2 buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ .	ON	2008/01/02 13:05
L3	795342	(cam or content address\$4 memory or associative)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 13:10
L4	14417	(sonet or ala2 frame or ethernet comma)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 13:10
L5	354	(sonet or ala2 frame or ethernet comma) with (align\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 13:27
L6	20	(sonet or ala2 frame or ethernet comma) with (pattern near5 (align\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 13:11
L7	251	(cam or content address\$4 memory or associative) with ((data or pattern) near6 (align\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 13:11

			r			
L8	130	(cam or content address\$4 memory or associative) with ((pattern) near6 (align\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 13:26
L9	74	(cam or content address\$4 memory or associative) with ((pattern) near6 (align\$4)) and parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 13:12
L10	2140	1 and 3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 13:12
L11		1 and 5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 13:12
L12		(content address\$4 memory or associative) with ((data or pattern) near6 (align\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 13:12
L13	55	(content address\$4 memory or associative) with ((data or pattern) near6 (align\$4)) and parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 13:13
L14	144	(cam or content address\$4 memory or associative) with (compar\$5 near6 (align\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 13:13



L15	30	(compar\$5 near6 parallel) same (pattern near6 (detectS4 or	US-PGPUB; USPAT;	ADJ	ON	2008/01/02 13:14
20		align\$4))	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
L18	454	(compar\$5) same (pattern near6 (detect\$4 or align\$4) with parallel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 13:15
L20	116	(compar\$5 near6 parallel) with (pattern near6 (detect\$4 or align\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 13:15
L21	14421	(a1A2 frame or sonet or ethernet comma)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 13:16
L23	9	((a1A2 frame or sonet or ethernet comma) with ((data or byte or bit or pattern) near6 (align\$5))).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 13:16
L24	22842	(data or byte or bit or pattern) near6 (align\$5).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 13:17
L25	22842	((data or byte or bit or pattern) near6 (align\$5)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 13:16

	,			•		
L26	184	(a1A2 frame or sonet or ethernet comma) with ((data or byte or bit or pattern) near6 (align\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 13:16
L28	286921	(different or unique) with (postion or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 13:27
L29	368	1 and 28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 13:19
L31	257	29 and 3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 13:19
L32	. 0	29 and 9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 13:19
L33	3	29 and 24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 13:20
L34	52	28 and 5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 13:20

L35	18	((cam or content address\$4 memory or associative) with ((pattern) near6 (align\$4))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 13:26
L36	0	(28 and 25).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 13:27
L37	25	((sonet or ala2 frame or ethernet comma) with (align\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 13:28
L38	42	28 and 7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 13:28
L39	5	28 and 7.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 13:29